

EXPRESS MAIL LABEL NO.

EK525794781US

SYSTEM AND METHOD FOR AMALGAMATING MULTIPLE SHIPPING  
COMPANIES USING REUSABLE CONTAINERS AND WIDE AREA NETWORKS

Zvi Or-Bach  
Dan Kikinis

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a continuation in part of our copending U.S. Patent Applications 09/524,060 and 09/481,783, filed March 13, 2000 and January 11, 2000, respectively. The '060 and '783 applications are incorporated herein by reference.

BACKGROUND OF THE INVENTION

This invention pertains to a system and method for tracking and shipping products in commerce. This invention also pertains to a system and method for tracking the shipping, delivery and the returning of shipping containers and the products within those containers.

Businesses often deliver products to different stores, warehouses, businesses, homes and the like by trucks. Packages are generally loaded onto a truck, the truck driver is given a list of locations to drive to, and instructions as to what packages are to be delivered at these locations. Such a system has its disadvantages. For example, an entire itinerary must be given to the driver before he commences his trip, along with an entire list of which packages are to be delivered, and where they are to be delivered. The driver must know where, within the truck, the various packages are. There is a limit to the complexity of the tasks that can be given to the driver, or the extent to which the driver's

1 tasks can be modified “on the fly”. Because of this, companies may be under-utilizing  
2 their transportation and shipping resources.

3

#### 4 SUMMARY

5 In accordance with one aspect of the invention, a group of packages are shipped  
6 as part of a goods delivery system via a vehicle such as a truck. The packages typically  
7 contain or are affixed to identification means, e.g. a radio frequency identification (RFID)  
8 tag. A computer database is provided for tracking the location of the packages. When  
9 the vehicle arrives at a destination, a list of transactions is provided, e.g. by printing or  
10 other display technique, at the destination. This list can include, for example, a list of  
11 those packages to be delivered to the destination, and a list of packages to be picked up at  
12 the destination. A scanner is used to scan the RFID associated with each package being  
13 delivered. (The scanner provides a radio signal querying the RFID. The RFID responds  
14 by providing a signal identifying the package associated with that RFID.) The database  
15 tracking the location of the packages is automatically updated in response to that  
16 scanning. In this way, the location of the packages can be tracked in a manner that  
17 minimizes or eliminates human error. Thus, an up-to-date list of the location of each  
18 package within the delivery system can be generated and accessed.

19 In one embodiment, a first computer system and RFID scanner are located at the  
20 destination. The first computer system can interface with a second computer system (e.g.  
21 at another location) to update a database tracking the location of the various packages.  
22 The interfacing between the first and second computer systems can be through a network,  
23 e.g. a wide area network such as the internet.

1 In accordance with another aspect of the invention, the vehicle transporting the  
2 group of packages contains apparatus for locating an individual package. The apparatus  
3 comprises a transmitter for transmitting a signal (typically a radio signal) that queries a  
4 RFID within or affixed to one of the packages. The queried RFID responds to the radio  
5 signal by transmitting a reply signal (also typically a radio signal). A receiving  
6 mechanism within the vehicle determines the location of the queried RFID in response to  
7 the reply signal, and identifies the location of the RFID (and hence the location of the  
8 package that the RFID is affixed to or contained within). A mechanism such as one or  
9 more light pointers or other location identifying structure indicates where within the  
10 vehicle that package is located.

11 In another embodiment, each RFID is coupled to a transducer for providing a  
12 visual or auditory output. When the RFID is queried, the RFID responds by either  
13 providing a visual output (e.g. an LED or other light source is illuminated) or an auditory  
14 output (e.g. a buzzer or other type of sound is emitted). In this way, the package that the  
15 RFID is contained within or affixed to can be easily located within the vehicle.

16 The system of the present invention can be used to augment delivery systems.  
17 For example, a company with one or more trucks previously used to deliver products for  
18 that one company, or one vendor, can make better use of those trucking resources by  
19 amalgamating those trucking resources into a larger system to deliver goods from several  
20 different sources. For example, a company that previously used its trucks to deliver a  
21 product like stacks of newspapers to newspaper stands can now make better use of its  
22 resources by amalgamating those trucking resources into a larger system to deliver  
23 different products as well. This results in better use of those trucking resources by

1 permitting extra revenue to be derived therefrom. For example, those trucks can be used  
2 during times outside the time slots when newspapers are normally delivered so that they  
3 can earn money for the truck owner. The system of the present invention assists in that  
4 amalgamation of trucking resources. In particular, this system assists the driver in  
5 determining what packages are to be delivered at a particular location, thereby  
6 simplifying the task for the driver even though the complexity of the delivery task has  
7 been increased.

8         These and other advantages of the present invention will be better understood  
9 with reference to the detailed description below.

#### 10 11 BRIEF DESCRIPTION OF THE DRAWINGS

12         Fig. 1 is a block diagram illustrating a system for ordering goods and providing  
13 those goods to a purchaser through consolidated shipping in accordance with our '783  
14 application.

15         Fig. 2 illustrates an example of a reusable shipping container with an integrated  
16 RFID for facilitating tracking.

17         Fig. 3 illustrates a reusable pallet for carrying or holding reusable containers.

18         Fig. 4 illustrates a system for delivering packages in accordance with the present  
19 invention.

20         Fig. 5A illustrates apparatus for locating a package within a pile of packages.

21         Fig. 5B illustrates a modified RFID apparatus in accordance with the present  
22 invention.

1    DETAILED DESCRIPTION

2    A System In Accordance With the Invention

3           Fig 4 schematically shows a system 400 in accordance with the invention for  
4    transporting packages or goods. System 400 amalgamates the shipping resources of a  
5    plurality of entities (e.g. a plurality of companies). In one embodiment, system 400  
6    comprises a central computer system 462 (housed at a location 460) for keeping track of  
7    the orders placed within system 400, the packages delivered by system 400, and the  
8    location of the various packages to be delivered by system 400. (Computer system 462  
9    can also track the invoicing that needs to be done when a package is delivered by the  
10   system.) A memory device 465 electrically coupled to computer system 462 maintains  
11   one or more databases 461a-n containing this information. Computer system 462 will be  
12   referred to hereafter as the “system integrator”. System integrator 462 receives requests  
13   for shipping packages by any of a number of means. For example, system integrator 462  
14   can be coupled to a network such as a wide area network (“WAN”) 450. WAN 450 can  
15   be the internet. Thus, in one embodiment, a user can access system integrator 462 by  
16   accessing system integrator 462’s URL and communicating an order via WAN 450,  
17   requesting that a particular package be delivered. For example, a user may have a  
18   computer 470 coupled to WAN 450, and may use computer 470 to place the request with  
19   system integrator 462 via WAN 450. The user can be an individual or a company. In a  
20   first embodiment, system integrator 462 will instruct one of the vehicles within the  
21   system to pick up the package from the user’s location for delivery to a destination. In a  
22   second embodiment, the package can be dropped off at a central depot by the user, where  
23   it will be loaded onto a vehicle for delivery. (In this second embodiment, the order can

1 be entered into the databases of system integrator 462 by personnel at the central depot  
2 when the package is dropped off.) The vehicle can be a truck such as truck 401.  
3 Alternatively, the vehicle can be something other than a truck.

4 As seen in Fig. 4, truck 401 transports a package 402 to a store 410. (Although  
5 only one package is shown in truck 401, truck 401 typically transports numerous  
6 packages. Also, although only one truck is shown in Fig. 4, system 400 typically  
7 comprises several trucks, and in fact, can comprise many trucks. The trucks are typically  
8 owned by several different companies. As mentioned above, each truck within the  
9 system can receive instructions from system integrator 462 to pick up or deliver packages  
10 to a destination.)

11 A radio frequency ID tag ("RFID") (schematically shown at reference number  
12 404) is either attached to or contained in package 402. (An RFID is a tag that can be  
13 placed in or on a package. The tag can be electronically queried by sending a radio signal  
14 to the RFID. The tag responds to this query by sending a response radio signal. RFIDs  
15 are discussed in greater detail below.) Package 402 can be a reusable container as  
16 described in the '060 application and discussed below.

17 Store 410 can be of a type described in the '060 and '783 applications. (These  
18 applications describe a store that is part of a distribution system in which goods can be  
19 ordered by a purchaser from numerous vendors via a wide area network ("WAN") such  
20 as the internet. These goods are collected from the various vendors and provided at the  
21 store for pickup by the purchaser. This system is described in greater detail below.)

22 In one embodiment, another RFID tag 405 is affixed to truck 401. A scanner 411  
23 mounted (or merely located) in store 410 detects the arrival of truck 401 by transmitting

1 RF signals 411R (symbolically shown in Fig. 4). These signals are received by RFID  
2 405, which provides response signals to scanner 411 to inform scanner 411 that truck 401  
3 has arrived. Alternatively, or in addition thereto, scanner 411 can scan and detect RFID  
4 404 affixed to or within package 402. (As mentioned above, truck 401 typically contains  
5 many packages having RFID tags contained therein or affixed thereto. Accordingly,  
6 scanner 411 can scan and detect all such RFIDs.)

7 In response to detection of the arrival of truck 401, the store's computer 412  
8 generates a list 413 of required transactions using one or more databases 421a-n. (List  
9 413 can be provided in the form of a hard copy, or in the form of a display output, e.g. a  
10 CRT or LCD screen output or other form of output.) Databases 421a-n may be  
11 physically located at a site remote from store 410, e.g. the headquarters 420 of the  
12 company that provides the goods shipped via truck 401 (or one of the companies that  
13 provides the goods shipped via truck 401). Databases 421a-n can be stored within  
14 memory devices (e.g. one or more magnetic, magneto-optic or optical disk drives,  
15 semiconductor memory devices or other types of memory devices) connected to one or  
16 more computers 422 located at or electronically coupled to headquarters 420. Software  
17 423 is used to control computers 422.

18 In lieu of or in addition to databases 421a-n, list 413 of required transactions can  
19 also be generated using databases 431a-n at the company 430 that operates truck 401.  
20 (This can be a company that is the same as or different from the company that is  
21 providing the goods shipped within truck 401.) Databases 431a-n are accessed by one or  
22 more associated computers 432 that run under the control of software 433.

1 In lieu of or in addition to databases 421a-n, list 413 of required transactions can  
2 also be generated using databases 461a-n of system integrator 462.

3 Connection between computer 412 and databases 421a-n (and/or databases 431a-  
4 n and/or databases 461a-n) is made via a network, e.g. a wide area network such as WAN  
5 450 (e.g. the internet). In particular, computer 412 is coupled to one or more of  
6 computers 422, 432, and/or 462 via WAN 450, and computers 422, 432, and 462 are  
7 coupled to the memory devices containing databases 421a-n, 431a-n, and 462a-n,  
8 respectively. List 413 indicates which packages need to be unloaded from truck 401 and  
9 delivered to store 410, as well as which packages located at store 410 need to be picked  
10 up by truck 401.

11 In some embodiments a global positioning system ("GPS") 403 is mounted on  
12 truck 401. GPS 403 can be used in addition to, or in lieu of, RFID 405 to track the  
13 position of truck 401 and notify the store 410 of the arrival of truck 401 and its contents  
14 (or to notify store 410 of the truck's impending arrival). Truck mounted GPS 403  
15 typically comprises at least one of many possible types of wireless connections to the  
16 WAN 450. For example, GPS 403 can communicate with WAN 450 via satellite 480a-n  
17 (symbolically shown as a GPS satellite), but other appropriate wireless communication  
18 systems can be used.

19 Using one of several methods described later (Fig 5A), a person doing the  
20 transactions set forth on list 413 (e.g. the truck driver or store employees) may be aided in  
21 quickly and accurately finding the correct packages within truck 401 to be delivered to  
22 store 410. During or upon completion of these transactions, the relevant databases are  
23 updated (e.g. databases 421a-n, 431a-n, 461a-n and/or any databases within computer



1 412) to reflect that the packages have been delivered. In some cases, databases in the  
2 several companies involved (e.g. the company owning store 410, the company providing  
3 the packages, the company that owns truck 401, or the company owning system  
4 integrator 462) are updated. The updating of these databases can occur by having the  
5 person doing these transactions manually entering data into a terminal coupled to  
6 computer 412. Alternatively, the databases can be updated using a scanner 415 that  
7 automatically queries the RFID within or affixed to the package being delivered to store  
8 410. Scanner 415 receives a response radio signal from the RFID confirming that  
9 package 402 is being delivered to store 410. Scanner 415 is coupled to and provides a  
10 signal to computer 412, which updates the databases in response thereto. (In one  
11 embodiment, computer 412 updates databases 421a-n indirectly, by informing computer  
12 422 via WAN 450 of the transactions so that computer 422 can update databases 421a-n.)  
13 Similarly, computer 412 updates databases 431a-n indirectly, by informing computer 432  
14 via WAN 450 of the transactions so that computer 432 can update databases 431a-n.  
15 Similarly, computer 412 updates databases 461a-n by informing system integrator 462 of  
16 the package delivery. System integrator 462 can initiate invoices to the party or parties  
17 that requested delivery of the packages in response to being notified of the completion of  
18 the transactions. (Alternatively, the computer system of the company providing the  
19 packages or the company owning truck 401 can do the invoicing.)

20 As mentioned above, prior to delivery of package 402, databases 421a-n and/or  
21 databases 431a-n and/or databases 461a-n track the location of package 402, and include  
22 entries indicating that package 402 is located within truck 401. This entry can be  
23 provided automatically. In particular, as a package is being loaded within truck 401, it

1 can be scanned with an RFID scanner at the location where the truck is being loaded (not  
2 shown in Fig. 4). This RFID scanner is coupled to computer 422 and/or 432 and/or 462  
3 (either directly or indirectly, e.g. via WAN 450) to update databases 421a-n and/or 431a-  
4 n and/or 461a-n to reflect the fact that package 402 is being placed in truck 401. The  
5 location where package 402 is loaded onto truck 401 can be a warehouse as discussed  
6 below.

7 The above-described system and method allow precise tracking of the locations of  
8 the packages delivered by truck 401 as well as other trucks, when these packages have  
9 been delivered, and where they have been delivered. In addition, for a system as  
10 disclosed in the '060 and '783 applications (discussed below), this can also facilitate  
11 alerting the purchaser who ordered the goods when a package is available for pickup.  
12 Based on those updates, the system (e.g. one of computers 412, 422, 432, 462 or another  
13 computer in one of locations 410, 420, 430 and/or 460, or another computer linked to one  
14 of computers 412, 422, 432 or 462) can send a message to the purchaser who ordered the  
15 goods. (This message can be sent in response to the detection of the arrival of truck 401  
16 as discussed above, or in response to the completion of the transaction as discussed  
17 above. Alternatively, the message can be sent when truck 401 leaves the above-  
18 mentioned warehouse.) Thus, the system (e.g. one of computers 412, 422, 432 or 462)  
19 can initiate a phone call, page, cell-phone call, e-mail, WAP message transmission  
20 (wireless application protocol as described at [www.wapforum.org](http://www.wapforum.org)), SMS (short message  
21 system, which is a system for sending and receiving messages via a cell phone), or other  
22 message transmission technique. (Fig. 4 shows a subsystem 424 for initiating a message  
23 to a buyer as described above. Subsystem 424 is shown as being within location 420, but

1 subsystem 424 could be located elsewhere within the system, e.g. at location 430, 460 or  
2 store 410.)

3 As described below, store 410 and company 420 can be part of a larger  
4 distribution network by which goods from different vendors are consolidated and  
5 provided to a single pickup-point (e.g. store 410) for pickup by a purchaser. As  
6 mentioned above, the system that sends the above-mentioned message to the purchaser  
7 can be either a local computer system associated with store 410 or company 420.  
8 Alternatively, the computer that sends this message can be a central system that notifies  
9 purchasers for the entire distribution network.

10 Although one embodiment uses a truck, in other embodiments, other types of  
11 vehicles can be used, e.g. airplanes, busses, scheduled trucks, railroads or other kind of  
12 transport. The form of transport can be either transport that runs according to a regular  
13 schedule or it can be transport that does not run according to a regular schedule.  
14 Combinations of different types of vehicles can be used, with little effort, by extensively  
15 using the feature of a public WAN, such as the internet, and integrating the use of these  
16 different vehicles. The integration of such different vehicles can be facilitated by using  
17 either proprietary or off-the-shelf planning software (e.g. MS Project™), parameterized  
18 to solve the scheduling problems. A fixed scale compensation may be applied, or a  
19 sliding scale reflecting supply and demand, or a mixture for both. (In other words, a  
20 fixed rate for the use of the transportation, e.g. a certain number of dollars per pound per  
21 mile can be employed. Alternatively, a rate that results from day-by-day bidding can be  
22 used. In other words, users of the shipping resources of the system can submit bids to the  
23 system and requesting delivery by one of the vehicles within the system. Different

1 companies within the system can receive those bids, and either agree to perform the  
2 delivery or decline to perform the delivery. This can be done by submitting bids to a  
3 computer system coupled to network 450.) This allows creation of a powerful delivery  
4 system that may also be used by businesses, rather than just consumers. As the packages  
5 are loaded onto and taken off of the various transport vehicles, they can be scanned by a  
6 scanner that is coupled to computers 422 and/or 432 and/or 462 for updating of databases  
7 421a-n, 431a-n and/or 461a-n.

8 While the description above refers to one truck 401, typically numerous trucks  
9 and/or other vehicles are used to deliver packages containing or being affixed to RFIDs.  
10 Databases 421a-n and/or 431a-n and/or 461a-n monitor the locations of the packages in  
11 the various trucks in the manner described above. As mentioned above, some of these  
12 vehicles may be from different companies. Thus, each company will typically maintain  
13 its own database listing each vehicle and what packages are being transported by its  
14 vehicles. In some cases however, the individual companies may choose not to do so, but  
15 rather rely on databases 461a-n of system integrator 462 for tracking its vehicles. As  
16 packages (items) are loaded onto and removed from the vehicles, the databases at the  
17 companies owning those vehicles are updated, e.g. via WAN 450 as well as the system  
18 integrator 462's database 461a-n. In addition, in one embodiment, centrally located  
19 database (e.g. 461a-n), which maintains the overall system, is also updated. Database  
20 461a-n is also accessed and updated via WAN 450. In one embodiment, database 461a-n  
21 can be accessed by any of the companies making up system 400 or users of system 400  
22 so that the location of the various vehicles of or packages being shipped by system 400  
23 can be tracked.

1 As mentioned above, a series of two or more vehicles can be used to transport a  
2 package. For example, a first vehicle can transport the package from a first location to an  
3 intermediate location, whereas a second vehicle can transport the package from the  
4 intermediate location to a final location. Also as mentioned above, one or more of these  
5 vehicles can be something other than a truck. Each of these vehicles can be owned and  
6 managed by either a common company or different companies. However, the company  
7 owning or managing each vehicle typically maintains a database accessible by WAN 450.  
8 A user desiring to use the resources of the first and second vehicles can contact a  
9 published number such as an 800 number, or contact a web page, or use another method  
10 for communicating with system integrator 462, or contact or use a business that has  
11 contracted with the company owning system integrator 462 to fulfill its deliveries. Thus  
12 goods can be shipped to the farthest places, using local, untapped resources to do  
13 transporting.

14 In the case of contacting a business, several scenarios are possible. First, a  
15 retailer selling over the internet, mail or telephone orders etc., may use the system  
16 integrator to have goods delivered to a customer or to a location near the customer for  
17 pick-up (such as a supermarket etc.). Second, a company or location that is to receive a  
18 package may use the system integrator to have the goods delivered to that  
19 company/location.

20 In some cases, the company running the system integrator may be a large retailer  
21 or may run a portal for remote commerce (e.g. e-commerce, mail orders, telephone orders  
22 etc.). Alternatively, the company running the system integrator may own a vast network  
23 of outlets, such as supermarkets, drugstores, convenience markets etc. In yet other cases

1 the company running the system integrator may be completely independent, offering an  
2 array of shipping and marketing services.

3 As explained below, in one embodiment, retail outlets can serve as delivery  
4 locations where customers can come and pick up packages that they ordered. By  
5 bringing customers into the retail outlets to pick up packages the outlets have the chance  
6 to sell other items to that customer when he or she arrives to pick up their package.

7 One key advantage of this invention is the ability to query databases 421a-n,  
8 431a-n and/or 461a-n to locate various packages. This querying can be done by  
9 personnel at locations 420, 430, 460 and/or store 410, e.g. via computers 422, 432, 462  
10 and/or 412, respectively. Alternatively, individuals can query databases 421a-n, 431a-n  
11 and/or 462a-n at other locations by contacting computers 422, 432, 462 and/or 412 via a  
12 network. This network can be the same as or different from WAN 450. Also, this  
13 network can be a public network such as the internet. Thus, a purchaser can track the  
14 location and status of merchandise as it is shipped through the delivery system.

15 Finally, the system described above assumes that the company running system  
16 integrator 462 is different from the company providing the packages or the trucks.  
17 However, this need not be the case. The company running system integrator 462 can also  
18 have its own trucks within system 400. This company can also provide some or all of the  
19 packages being delivered by the trucks.

## 20 21 Structure and Method for Locating Packages Within Truck 401

22 Fig 5A shows a simplified example of a method and apparatus for locating a  
23 desired package within a stack of packages in accordance with the invention. A remote

1 scanning unit 501 transmits radio pulses 530 at a pile of packages 500, containing in this  
2 example sixteen packages 510a-o, each either containing or being affixed to an associated  
3 RFID 511a-o. In this example package 510i is sought. Its associated RFID 511i provides  
4 a response 531 that is received by at least one and preferably two antennae 502a, 502b (in  
5 some embodiments more than two antennae). By measuring the difference between the  
6 time antenna 502a receives response 531 and the time antenna 502b receives response  
7 531 the location of package 510i can be determined. Alternatively, by measuring the  
8 difference in the strength of the signal received by antenna 502a vs. 502b, or by  
9 measuring echoes of signal 531, or by a similar technique, the location of package 510i  
10 can be determined. The location of package 510i is then indicated to a user by adjusting  
11 one or more light beam sources 503a-n so that their light beams 520a-n (provided by  
12 sources 503a-n) point to the package. By “digging along those beams” the user will find  
13 package 510i. In one embodiment, light sources 503a-n are mounted on manipulating  
14 means such as stepper motors for pointing beams 520a-n. In such an embodiment, these  
15 motors are coupled to and controlled by a digital device, e.g. a microprocessor 521 within  
16 scanning unit 501, via a set of wires 504a-n. (Microprocessor 521 is also typically  
17 coupled to antennae 502a-b via wires 505a-b.) Microprocessor 521 receives the signal  
18 from antennae 502a-b, calculates the location of package 510i, and causes the stepper  
19 motors to point beams 520a-n toward package 510i. (In lieu of stepper motors, other  
20 appropriate actuators, e.g. solenoids, pistons, or other hydraulic, electric or pneumatic  
21 actuators as well as memory materials can be used.)

22 In some embodiments, the RFID is replaced by or augmented with a speaker or  
23 light-generating device (e.g. a lamp or LED) to provide an audible and/or visible

1 response to an “identify yourself” radio signal provided by scanning unit 501. Fig. 5B  
2 schematically shows such a system, with RFID 511 (comprising a microchip and an  
3 antenna, not shown), an attached energy storage structure 511-1 (such as capacitor,  
4 battery, or a rechargeable battery with optional photocell), an indicator light 511-2 (such  
5 as an LED, light bulb, LCD or any other kind of visible indicator) and a sound emitter  
6 511-3 (such as a speaker, buzzer etc.). Thus, in response to a radio signal from scanning  
7 unit 501, the RFID provides a visible and/or audible response that enables a user to  
8 quickly locate package 510i.

9 Scanning unit 501 contains a radio transmitter that provides signal 531 in  
10 response to actuation of control elements 501a (e.g. buttons, switches, or a numeric  
11 keypad) on unit 501. Control elements 501a permit a user to enter a package  
12 identification code into unit 501, which causes unit 501 to provide a signal that uniquely  
13 queries the RFID affixed to the package being sought. This code can be obtained from  
14 list 413 (Fig. 4).

#### 15 16 Novel Product Distribution Chain Using an Embodiment of the Present Invention

17 In the above-mentioned ‘060 and ‘783 applications, a novel method of providing  
18 goods is disclosed. The present invention can be used in conjunction with this novel  
19 method of providing goods. Briefly, the ‘060 and ‘783 applications teach a system  
20 whereby a purchaser (e.g. an individual) can order goods from several different vendors  
21 via the internet, have the vendors send those goods to a central location where they will  
22 be collected and sent to a pick-up location where the purchaser can pick up the goods.  
23 Thus, the purchaser can make one trip to a pick-up location to pick up goods from several



1 different vendors. A method and apparatus in accordance with the present invention is  
2 particularly adaptable for use with such a system. This system will now be described  
3 with respect to Fig. 1.

4 In a system in accordance with the '783 application, a purchaser places an order  
5 online from his or her net appliance (typically a personal computer 100, shown in Fig. 1),  
6 either at work or at home. Computer 100 is connected via an internet service provider  
7 (ISP) 102 to internet 101. (As mentioned above, in some embodiments WAN 450 can be  
8 the internet, but WAN 450 can be a network other than the internet.) The purchaser  
9 accesses internet 101 via computer 100 to order goods from a plurality of vendors. The  
10 vendors can be any of numerous types of vendors, e.g. vendors of groceries, electronic  
11 goods, hardware items, office supplies, appliances, furniture, gardening goods, clothing,  
12 perfume, etc.

13 The purchaser has several options for ordering these goods. For example, the  
14 purchaser can connect to a portal 120 via a connection 110. In one embodiment, portal  
15 120 is a server. Connection 110 is invoked by accessing the URL (universal resource  
16 locator) of portal 120 in the same way that internet web pages are typically accessed.  
17 Portal 120 offers connections 122a to 122d to associated vendors, symbolized by boxes  
18 130a to 130d, each having a server coupled for receiving orders from portal 120. Each  
19 vendor is typically an independent company. (The company headquartered at location  
20 420 in Fig. 4 is typically the headquarters of one of vendors 130a to 130d. Each of the  
21 other vendors can have a computer and database system coupled to store 410 and/or  
22 system integrator 462 and/or computer system 432 in the manner described above with  
23 respect to Fig. 4.)

1           The purchaser communicates via portal 120 with vendors 130 to order goods from  
2 each vendor. The purchaser also typically instructs the vendors when the goods are to be  
3 picked up and the location from which the goods are to be picked up. As explained  
4 below, the purchaser has a choice of several central locations SML1 to SML3 from which  
5 he or she can pick up the goods. Locations SML1 to SML3 are typically stores similar to  
6 store 410 described above. (The servers of vendors 130 may provide availability  
7 information so that the purchaser can have an idea as to the earliest possible time for  
8 pick-up.) The purchaser can either pay for the goods at this point in the transaction using  
9 a credit card, or at the location and time of pick-up.

10           A purchaser also has the option of communicating with vendors 130a to 130d  
11 without going through portal 120, e.g. by accessing the servers of vendors 130a to 130d  
12 directly through the internet. This is symbolically illustrated by connections 121a to  
13 121d for connecting ISP 102 directly to one or more of vendors 130a to 130d. In one  
14 embodiment, vendors 130a to 130d have their own internet web site, and are contacted  
15 via their URLs. A purchaser can use a bookmark in his or her browser, or contact  
16 vendors 130 using other types of application software running on internet appliance (e.g.  
17 PC) 100. Again, in this embodiment, the purchaser indicates when the goods are to be  
18 picked up, and where they are to be picked up from.

19           Optionally, the goods of each vendor 130 can have their own separate brand that  
20 identifies the point of origin of those goods separate and apart from the manner of  
21 distribution. Alternatively, a brand or trademark can be associated with the goods that  
22 indicate its origin in terms of the company providing the distribution mechanism. This  
23 brand can be applied to the various goods purchased using the method of the '783

1 application, even though the goods may have been manufactured or supplied by different  
2 vendors 130. Alternatively, the brand applied to the goods may reflect both the vendor  
3 130 and the company providing the distribution mechanism.

4 Vendors 130a to 130d are examples of numerous vendors. However, there can be  
5 numerous vendors, a small number of vendors or only one vendor. The vendors can use  
6 common portal 120 or separate web sites.

7 Some of the links shown in Fig. 1 (e.g. links 110 and 121) are internet links.  
8 These links are not typically permanent, but rather, are established on a temporary basis,  
9 as is typical in use of the internet.

10 In the embodiment of Fig. 1, the servers of vendors 130a to 130c are  
11 electronically linked via connections 131a to 131c to their warehouses 140a to 140c.  
12 (Optionally, these servers may be physically located within warehouses 140.) These  
13 links permit vendors 130a to 130c to instruct their warehouses 140a to 140c to ship  
14 ordered goods to a regional warehouse 150 via shipping lines 141a to 141c. After  
15 consolidating the goods into a single order at warehouse 150, the consolidated order is  
16 forwarded to a selected one of exemplary supermarkets SML1 to SML3 for pickup. (The  
17 user typically selects the specific supermarket SML at the time of ordering.)  
18 Alternatively, vendors 130a to 130c can bypass warehouse 150 and ship ordered goods  
19 directly to one of exemplary supermarkets SML1 to SML3 for consolidation and pick-up.  
20 (In the embodiment of Fig. 1, establishments SML1 to SML3 are supermarkets.  
21 However, establishments SML1 to SML3 can be any kind of retail establishment.)

22 Vendor 130d uses a different technique, in that it has a warehouse 140d merged  
23 into regional warehouse 150. In some embodiments, there is only one regional

1 warehouse. In other embodiments, there are many regional warehouses across the  
2 country. Each regional warehouse 150 consolidates orders for purchasers in a particular  
3 geographic area.

4 In some embodiments, supermarkets SML may use the same approach to allow a  
5 user to pre-order groceries (e.g. via the internet), and have them bagged and ready for  
6 pickup at the same time as the goods from warehouses 140. This is facilitated by also  
7 informing supermarkets SML as to what groceries are being pre-ordered, and when the  
8 purchaser will pick up these groceries. This information is provided by internet appliance  
9 100 to supermarkets SML via internet links 121 or 110, and electronic links 135 at the  
10 time the groceries are being pre-ordered. (Links 135 are provided between vendors 130  
11 and supermarkets SML. Only a few of links 135 are shown in Fig. 1. One or more  
12 computer terminals or PCs including one or more data output devices are provided at  
13 supermarkets SML so that personnel at supermarkets SML are made aware of the pre-  
14 ordering of groceries.) These PCs can be linked via WAN 450 and/or internet 102 to the  
15 rest of the system. Alternatively, these PCs can be linked by one or more other networks,  
16 not shown. Vendors 130 also inform supermarkets SML, via links 135, when the goods  
17 from vendors 130 are to be delivered. Along with this information, handling instructions  
18 may also be sent, e.g. to open and show the purchaser a certain product and let him or her  
19 sign a receipt reflecting inspection of the actual product and its function, rather than  
20 merely signing a receipt reflecting receipt of just a box.

21 After the goods are ordered from vendors 130, consolidated and provided to one  
22 of supermarkets SML, and/or groceries are ordered from one of supermarkets SML, the  
23 purchaser can then come to that supermarket SML, at the mutually agreed time, and pick

1 up both pre-ordered groceries and the goods freshly delivered by vendors 130. The  
2 purchaser may also quickly browse the supermarket first, for the few items he or she  
3 forgot to pre-order.

4 In one embodiment, the purchaser may use his credit card, store card or other type  
5 of magnetic or electronic card when first stepping into the cash register line. This can be  
6 accomplished by passing the card through an electronic card reader to inform appropriate  
7 inventory order processing/control automation or personnel of the purchaser's arrival.  
8 Thus, by the time the purchaser gets to the register, a bag handler can bring the purchased  
9 goods to the register for pickup, ready in a cart, with printed instructions, or instructions  
10 on the display of the cash register. An example of a typical printed instruction is an  
11 instruction concerning the filling out of a warranty card, instructions concerning use of  
12 the product, or an instruction concerning obtaining a cash rebate from a manufacturer.

13 An additional option is to allow the purchaser to scan his credit card or a store  
14 club card at the entrance of supermarket SML, thereby permitting the supermarket to  
15 respond by pulling the ordered merchandise to have the merchandise ready at the  
16 checkout counter.

17 When returning an item, the purchaser brings in a receipt and the item to the  
18 supermarket SML, and gets credit after the clerk checks return instructions with the  
19 vendor. This can be done using one of computer links 135 between supermarket SML  
20 and vendors 130. Again, these links 135 can be via WAN 450 or one or more other  
21 networks, not shown. Of importance, a method in accordance with one embodiment of  
22 the '783 method permits a user to return goods from any of numerous vendors 130 to one

1 location (e.g. one of supermarkets SML), thereby saving the purchaser from the  
2 inconvenience of having to make numerous trips to numerous locations.

3 This method allows so called brick and mortar stores to stay competitive with e-  
4 commerce vendors by adopting certain aspects of E-commerce and becoming a one stop  
5 service center for purchasers, e.g. open 7 days a week, 24 hours per day. While the  
6 above-described method is typically used by supermarkets SML, in other embodiments, it  
7 is used by drug stores, convenience stores, or other types of sales establishments. These  
8 other types of sales establishments can serve as distribution hubs for many different kinds  
9 of goods from the various vendors 130. In lieu of a retail establishment, a warehouse  
10 such as warehouse 150 can serve as the pick-up point.

11 To enhance operation of the system, once orders are accepted, they are  
12 immediately transferred from the vendor 130 accepting the order to its warehouse 140, as  
13 well as the downstream supermarket SML handling the transaction. The warehouse  
14 computer system (designated as 422 in Fig. 1) and/or the supermarket computer system  
15 can also manage logistics, such as transportation. There are numerous ways to inter-  
16 network multiple servers using WANs such as WAN 450 (which can be the internet) so  
17 that any computer or server or cluster of servers can be used to embed any function. In  
18 some cases so called proxy servers may be used to interface parts of the system. In other  
19 cases, proxy servers, or parts of the service can be outsourced to so-called Application  
20 Service Providers (ASPs). In other cases, special protocols, such as XML (extensible  
21 markup language) or DHTML (dynamic hypertext markup language) etc. or alternatively  
22 “drivers”, “pipes”, “adapters” etc. can be used. By using any or any combinations of the  
23 above listed or similar software elements in any physical combination of servers or

1 equivalents, an essentially equivalent system can be built. Both the physical and logical  
2 topology of the system are very flexible, although it is desirable to have the logical  
3 topology approximate the physical flow for merchandise to reduce the risk of  
4 miscommunication.

5 In lieu of using a network such as internet 101, in another embodiment, the  
6 purchaser contacts store SML and/or vendors 130 by telephone, e.g. using a toll free  
7 number such as an 800 number, and using an automatic number identification (ANI)  
8 Caller-ID system to identify the purchaser. A server then notifies the store and instructs  
9 the store via telephone to ready the merchandise so that by the time the purchaser reaches  
10 the store, the merchandise is placed in suitable containers (e.g. bags) for the purchaser to  
11 pick up. Systems that can receive a phone call and actuate computer programs are well  
12 known in the art, and are sometimes referred to as Interactive Voice Response (IVR), or  
13 Voice Response Units (VRU).

14 A shipping system as described above can be used to make a local, consolidated  
15 delivery from one of supermarkets SML (or central warehouse 150) to the purchaser.

16 The various options for providing goods to purchasers (e.g. pick-up at  
17 supermarkets SML or consolidated delivery) are indicated by arrow bundles 160a to  
18 160c, symbolizing the flow of goods out of supermarkets SML.

19 In another aspect of the '783 method, supermarkets SML can provide bonuses, or  
20 enhanced bonuses for pre-ordered items such as staples like milk, bread, flour, etc., since  
21 it permits the store to run a tighter inventory, but still meet all the demand. (Such  
22 bonuses can be in the form of cash discounts or bonus point programs, wherein the points  
23 can be traded in for various products.)

1           The '783 application further describes an enhanced method in which pickup is  
2 arranged using a specially designated area within market SML containing numbered  
3 boxes or lockers. When a purchaser arrives at a given time, he or she can pick up his or  
4 her merchandise simply by going to an assigned locker and entering a onetime password  
5 on a control panel associated with the locker. This unlocks the locker and permits the  
6 purchaser to pick up the goods and exit the store without further delay. Lockers are not  
7 typically permanently assigned, but rather, are assigned when the pickup time is  
8 established. The password can be selected by the vendor or market SML and  
9 communicated to the purchaser at the time he or she orders the goods. Alternatively, the  
10 purchaser can select the password at the time he or she orders the goods. In yet another  
11 embodiment, the purchaser may have a pre-assigned password that is unique to that  
12 purchaser, and used for all the purchaser's transactions.

13           Alternatively, instead of a password, the purchaser scans his store card or credit  
14 card with an electronic card scanner/reader located on the locker. (This use of the credit  
15 card can also be the means by which the purchased goods are paid for.) This unlocks the  
16 locker and permits the purchaser to exit the store without further delay. (The control  
17 panel or scanner is typically in electronic communication with a computer system within  
18 supermarket SML that receives order information via one of links 135. Thus, the  
19 distribution system can control which credit card or pass combination the locker responds  
20 to. The distribution system also monitors when pick-up has occurred, and can charge the  
21 customer's account upon pick-up.)



1            Optionally, at the request of the customer, or by default, the customer may be  
2 alerted by an alerting system to the availability of his or her goods. The alerting of the  
3 customer can be accomplished as described above.

4            The invention described in the '783 application can be practiced using stores or  
5 other commercial establishments other than supermarkets. For example, any type of  
6 chain (e.g. regional, local, national or global) that has supply chain management can use a  
7 method in accordance with the invention, e.g. drug stores, convenience stores, mail  
8 outlets such as the U.S. Postal Service, Mail Boxes etc.<sup>TM</sup>, gas stations, warehouse stores,  
9 banks or other chains or franchise outlets that have substantial traffic. In some  
10 embodiments, no prior arrangement with the store is required to have products delivered  
11 there. Also, the purchaser does not have to have a special preexisting contractual  
12 arrangement with the store to receive goods there, other than the specific order that he or  
13 she placed via the internet. In this embodiment, the purchaser may or may not incur  
14 expense, other than the specific order, to receive goods at the store.

15           Depending on the type of supply chain management implemented, local or  
16 regional centers may not necessarily be owned or operated by a retail chain, but rather by  
17 a third party, such as a wholesaler or a large vendor, selling key items such as bread, soft  
18 drinks, etc. which require daily deliveries.

19           Modules for internet-to-supply chain management (SCM) software can be  
20 provided that follow preset rules, and invoke auxiliary services, such as instruction  
21 printing at the outset of ordering merchandise, warranties, the setup of a software  
22 installation (when required), etc. Such software can be partitioned and implemented in  
23 many ways, and can be hosted on any of one or several servers, including the servers

1 shown in Fig. 1. The novel approach is to link two or more vendors via the portal  
2 function, where the buyer communicates to the vendors what product is being purchased,  
3 and how/when it will be delivered or picked up. For simplicity, the pickup/delivery  
4 facility within the store (e.g. pick-up boxes) is not shown here in Fig. 1. As described  
5 above, more than two vendors can be included in one transaction, which creates  
6 synergistic sales and has a single delivery system.

## 8 RFID Technology

9 As mentioned above, RFIDs are tags that can be affixed to or placed in packages  
10 so that the package can be readily identified. RFIDs can be queried by sending a radio  
11 signal to the RFID. When queried, they provide identification information. RFID tags  
12 are described, for example, by Amanda Loudin, "RFID Comes Into Its Own", published  
13 by Warehousing Management  
14 (<http://www.warehousing.com/FEATURES/WM0499F2.HTM>), "FASTRAK and  
15 OTHER RFID Systems" (<http://cwc.ucsd.edu/-chapelle/RFID/rfid.html>), "New 13.56 MHz Tag  
16 Opens RFID to New Applications Tag Provides High Performance at Low Cost"  
17 (<http://www.businesswire.com/webbox/bw.020199/983835.htm>), and Eric Sells, "New  
18 RFID Tag Chip Features Advanced Anti-Collision with Simultaneous Interrogation of 10  
19 Tags" (<http://www.microchip.com/0/Company/Edit/pRelease/PR78/index.htm>). These  
20 documents are being submitted in an information disclosure statement filed herewith and  
21 incorporated herein by reference.

## Reusable Containers Comprising RFIDs

As mentioned above, in one embodiment, the packages are reusable, e.g. as discussed in our '060 application. Inside the reusable container, air inflatable bags, bubble wrap, Styrofoam "peanuts," or other structures can be used to stabilize and protect the contents. Fig 2 illustrates an example of such a reusable container or box 201. Referring to Fig. 2, box 201 comprises a cover 202a attached to a bottom unit 202b by two hinges 203a, 203b. Cover 202a also has two latches 204a, 204b, which lock into slots 211a, 211b, respectively, in bottom unit 202b. Holes 212 and 213 in bottom unit 202b and cover 202a line up to allow sealing box 201, for example with a plastic tie or seal.

A compartment 214 within box 201 contains RFID 216. RFID 216 is distance and multi-readable in the preferred embodiment. By distance readable, we mean that RFID 216 can be read by reading apparatus from a distance (typically up to several feet). By multi-readable, we mean that several RFIDs can be read simultaneously or substantially simultaneously. This allows a whole pallet to be scanned at once, for example as it is loaded off or onto a truck. Such scanning can be done at any point along the shipping route or distribution chain, allowing for better tracking at low cost.

Box 201 is designed such that multiple boxes can be securely stacked on one another. For example, in Fig. 2, a foot 220 extends downward from the bottom of box 201. Foot 220 fits into and mates with a cavity in the cover of a box upon which box 201 is stacked. Similarly, box 201 includes a cavity in its top surface to receive the foot 220 of a box placed on top of box 201. (This cavity is not shown in Fig. 2, as it would be on the far side of cover 202a in Fig. 2.)

1           In one embodiment, the distribution chain can also use boxes that are half the size  
2 of box 201. Thus, two half-boxes can be placed together on top of (or below) full size  
3 box 201. Similarly, two quarter size boxes can fit on top of (or below) a half size box,  
4 and so forth.

5           Fig 3 shows a re-usable pallet 300, which comprises cavities 301a-d for receiving  
6 e.g. full size boxes. The pallet may also contain an RFID 302 for better inventory  
7 tracking. In other words, RFID can be used to track the location of pallet 302.

8           In one embodiment, there may also be 2 or 3 different heights of boxes in  
9 accordance with the invention. For example, there can be standard boxes of a given  
10 height, boxes of half that standard height, and boxes of a quarter of that standard height.  
11 Thus, when stacking goods on pallet 300, two half height boxes or four quarter height  
12 boxes can be stacked adjacent a full height box, allowing the vendor to mix and match  
13 many box sizes in a convenient manner on one pallet. If boxes are stacked on a pallet  
14 such that the total height of the boxes exceeds a certain height, the pallets may be shrink-  
15 wrapped to further stabilize them. Since the RFID allows scanning of all units on a pallet  
16 without physically reaching it, even RFIDs affixed to boxes buried within the pallet load  
17 can be scanned and inventoried.

18           The goods for a given purchaser are typically loaded into box 201 at warehouse  
19 150 (although they could also be loaded into box 201 at warehouses 140 or supermarket  
20 SML). At this time, a scanner 250 (Fig. 2) is used to read identification information from  
21 RFID 216, and that identification information is entered into a memory device, along  
22 with information corresponding to the purchaser who is to receive the box. The memory  
23 device can be a memory disk, memory tape, a semiconductor memory, or some other

1 type of memory device 150b (Fig. 1). Memory device 150b typically contains data base  
2 421a-n. Fig. 1 shows that the memory device (reference number 150b) is located at  
3 warehouse 150 and linked to computer 422, but its physical location is not critical to the  
4 present invention. Memory device 150b and computer 422 could be located anywhere,  
5 but it is preferably electronically linked to the location where goods are being placed in  
6 box 201. Also, preferably, different computer systems and servers throughout the  
7 distribution channel preferably have access to memory device 150b so that the location of  
8 box 201 can be tracked from numerous points in the distribution channel.

9 Scanner 250 can be a hand-held scanner coupled to computer 422 either with a  
10 wire, or without a wire (e.g. using an IR or radio wave communication link). Computer  
11 422 is coupled to memory device 150b.

12 The RFID within box 201 can be scanned when it leaves warehouse 150 (or 140)  
13 and when it arrives at supermarkets SML, as well as at various points along the way.  
14 When this occurs, information in memory 150b (e.g. databases 421a-n) can be updated so  
15 that the progress of the order can be tracked. Memory 150b is also updated when box  
16 201 is provided to the purchaser and when the purchaser returns box 201.

17 While the invention has been described with respect to specific embodiments,  
18 those skilled in the art will appreciate that changes can be made in form and detail  
19 without departing from the spirit and scope of the invention. For example, the list of the  
20 transactions can be provided by a computer coupled to an output device located in truck  
21 401 instead of using computer 412 in store 410. The list can be generated in the form of  
22 a hard copy output (e.g. paper) or a non-hard copy output (e.g. on a computer screen).

1 Wireless communications apparatus can be provided for enabling the computer in the  
2 truck to obtain and update databases 421a-n and 431a-n.

3 In lieu of RFID tags, devices other than RFID tags that provide an identification  
4 signal when queried can be used. These tags can be responsive to signals other than RF  
5 signals, e.g. IR (infrared) signals.

6 It should also be appreciated that different novel aspects of the above-described  
7 system, apparatuses and methods can be practiced independently or in conjunction with  
8 each other. Accordingly, all such changes come within the present invention.

9

10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205